RECEIVED CENTRAL FAX CENTER

SEP 2 9 2004

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re patent application of)	INTEGRATED AIR FOIL AND AMONIA
MELVIN J. ALBRECHT)	INJECTION GRID FOR SCR SYSTEM
Filed : June 23, 2000)	
Serial No.: 09/602,483)	
Art Unit : 1764	.)	Confirmation No.: 8898
Examiner: H. T. Tran)	Attorney Docket No.: Case 6096
Mall Stop: RESPONSES FEE Commissioner for Patents P.O. Box 1450 Washington, DC 22313-1450		**
manin-Brand a a war in 1 100		

AMENDMENT

AND

PETITION FOR THREE MONTHS EXTENSION OF TIME

Applicants hereby petition under, 37 CFR § 1.136(a), for a three (3) month extension of time within which to respond to the Office Action mailed March 24, 2004, for three (3) months from June 24, 2004, to September 24, 2004. The Commissioner is hereby authorized to charge the sum of \$950 for the three (3) month extension of time as required under 37 CFR § 1.17(a)(3) to Deposit Account No. 50-1813 as set forth in the enclosed Transmittal.

In response to the Office Action mailed March 24, 2004, please amend the above identified patent application without prejudice as follows:

AMENDMENT AND P. TION FOR EXTENSION OF TIME Patent Application Serial No. 09/602,483

Attorney ket No.: Case 6096 Page -2-

Amendment to the Specification: begin on page 3 of this paper.

Amendment to the Claims: are reflected in the listing of claims which begin on page 4 of this paper.

Amendments to the Drawings: None

Remarks/Arguments: begin on page 8 of this paper.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:	
☐ BLACK BORDERS	
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES	
☐ FADED TEXT OR DRAWING	
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING	
☐ SKEWED/SLANTED IMAGES	
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS	
☐ GRAY SCALE DOCUMENTS	
☐ LINES OR MARKS ON ORIGINAL DOCUMENT	
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY	

IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.